

# PURE

## WOOD - PRODUCT DATASHEET 2020



TECHNICAL DATA (EN 13489)		
Reaction to fire	EN 14342 Table 1 (when applicable) / EN 13501	Dfl-s1*
Emission of formaldehyde	EN 14342	E1
Brinell hardness (average value)	(BHN) EN1534	
Maple		4,8
Ash		4,0
Beech		3,8
Oak		3,7
Walnut		3,2
Birch	2,6	
Taber Abraser/Lacquer's wear resistance	EN 13696	4000
Protoco Lacquer		3500
Protoco Natura		N/A
Protoco Hardwax Oil		
<i>These typical values are not applicable for stained, brushed or hardwax oiled products.</i>		
Reduction of sound weighted index $\Delta L_w$ in dB with 2 mm Tarkofoam/flex II	NF EN ISO 140-8 / Acc to NF EN ISO 717-2	17
Thermal insulation value (RT m <sup>2</sup> K/W) board only with rag felt with 2 mm Tarkofoam/flex II	EN ISO 10456:2007	0,101 0,121 0,141
Thermal conductivity (W/m K) 13 mm 14 mm	EN 12664 / EN 14342:2013	0,104 0,11
Construction	3-layer with softwood core	
* Cfl-s1 for lacquered products can be provided on demand.		

INSTALLATION	
Installation method	2-lock for floating or glue down
Installation instruction	Download from <a href="http://www.tarkett.com">www.tarkett.com</a> Contact your supplier for more details
Underfloor heating compatible *	Maximum floor surface temperature 27°C with self-regulating under-floor heat system.
Start & Stop: Shorter lengths of planks included in approx. 1 pack per 20 m <sup>2</sup>	
* Not suitable for the woodspecies beech and maple.	

RECOMMENDED ACCESSORIES	
Installation	Tarkofoam II / Tarkoflex II Installation kit
Aesthetics	Skirting, Pipe covers Transition moulding
Care & Maintenance	Wood Floor Care Kit / Spray Mop Kit Bioclean, Refresher
See more alternatives and the complete range of accessories @ <a href="http://www.tarkett.com">www.tarkett.com</a>	

DIMENSIONS & PACKAGE	13x 134x1850	13x 162x2000	13x 162x2200	13x 190x2000	13x 190x2200	13x 194x2281
Thickness EN 13489 (mm)	13	13	13	13	13	13
Width (mm)	134	162	162	190	190	194
Length (mm)	1850	2000	2200	2000	2200	2281
Wear layer thickness (mm)	2,5	2,5	2,5	2,5	2,5	2,5
Boards/pack	8	6	6	6	6	6
m <sup>2</sup> /pack	1,98	1,94	2,14	2,28	2,51	2,66
m <sup>2</sup> /pallet	55,44	69,84	77,04	79,80	87,85	106,4
Net weight/m <sup>2</sup> (kg)	7,3	7,3	7,3	7,3	7,3	7,3

DIMENSIONS & PACKAGE	14x 117x1245	14x 162x2000	14x 162x2200	14x 190x2000	14x 190x2200	14x 194x2281
Thickness EN 13489 (mm)	14	14	14	14	14	14
Width (mm)	117	162	162	190	190	194
Length (mm)	1245	2000	2200	2000	2200	2281
Wear layer thickness (mm)	3,5	3,5	3,5	3,5	3,5	3,5
Boards/pack	8	6	6	6	6	6
m <sup>2</sup> /pack	1,17	1,94	2,14	2,28	2,51	2,66
m <sup>2</sup> /pallet	65,52	69,84	77,04	79,80	87,85	93,10
Net weight/m <sup>2</sup> (kg)	7,9	7,9	7,9	7,9	7,9	~7,9

Due to the nature of the material this table shows typical values.

### MAINTENANCE

Tarkett wooden floors have a Protoco surface treatment and therefore a strong protection against normal wear, abrasion, scratches and stains. Some floors will require more frequent maintenance for increased life span. Generally these products are light coloured floors and hardwax oiled floors, particularly with brushed surface and/or highlighted details, such as saw marks. Please always refer to maintenance guidance available on websites.

See maintenance instructions @ [www.tarkett.com](http://www.tarkett.com)

Pure 14 mm Protoco Lacquer / Protoco Natura

97 % 97 % Natural Renewable	100 % Recyclable
--------------------------------------	---------------------



2-LOCK



Pure 13 mm Protoco Lacquer, Protoco Natura / 14 mm Protoco Hardwax Oil

98 % 98 % Natural Renewable	100 % Recyclable
--------------------------------------	---------------------

# PURE

## WOOD - PRODUCT DATASHEET 2020

### DESIGN

The authentic design of Mother Nature is left untouched in this collection in order to preserve and enhance the unique character of each board and to create floors with an everlasting style.

PRODUCT DATA	Material code	Dimensions (mm)	Pattern	Surface treatment	Surface effect	Bevel (2 side)	Stained	Latin name	DoP no.
Pure Birch TreS	8540002	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	1	0020-0106
Pure Maple Nature TreS	8517003	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	2	0020-0106
Pure Ash Nature TreS	7965005	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	3	0020-0106
	7965008	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	No	3	0020-0106
Pure Beech Nature TreS	7930003	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	4	0020-0106
Pure Oak Select TreS	7870024	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	5	0020-0106
Pure Oak Nature Plank XT	7877027	2 200 x 190 x 14	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0105
	7877028	2 000 x 190 x 14	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0105
Pure Oak Nature Plank	7876001	2 200 x 162 x 14	1-strip	Proteco Lacquer	-	Minibevel	No	5	0190-0105
	7876070	2 200 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0105
	7876069	2 000 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0105
	7878002	2 200 x 162 x 13	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0103
	7878001	2 000 x 162 x 13	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0103
Pure Oak Nature MidiPlank	41016004	1 850 x 134 x 13	1-strip	Proteco Natura	-	Minibevel	No	5	0190-0103
Pure Oak Nature MiniPlank	8720020	1 245 x 117 x 14	1-strip	Proteco Natura	Brushed	Minibevel	No	5	0190-0105
Pure Oak Nature DuoPlank	8727002	2 281 x 194 x 13	2-strip	Proteco Natura	-	-	No	5	0020-0104
Pure Oak Nature TreS	7869015	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	5	0020-0106
	8723001	2 281 x 194 x 13	3-strip	Proteco Lacquer	-	-	No	5	0020-0104
	7869017	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	No	5	0020-0106
	8723004	2 281 x 194 x 13	3-strip	Proteco Natura	-	-	No	5	0020-0104
	7870038	2 281 x 194 x 14	3-strip	Proteco Hardwax Oil	.	.	No	5	0020-0106

1: Betula Pendula, 2: Acer Saccharum, 3: Fraxinus Angustifolia, 4: Fagus Sylvatica, 5: Quercus Robur & Quercus Petraea



Pure Birch TreS



Pure Maple Nature TreS



Pure Ash Nature TreS




Pure Beech Nature TreS



Pure Oak Select TreS



Pure Oak Nature Plank XT



Pure Oak Nature Plank



Pure Oak Nature MidiPlank



Pure Oak Nature MiniPlank



Pure Oak Nature DuoPlank



Pure Oak Nature TreS

# PURE

## WOOD - PRODUCT DATASHEET 2020

PRODUCT DATA	Material code	Dimensions (mm)	Pattern	Surface treatment	Surface effect	Bevel (2 side)	Stained	Latin name	DoP no.
Pure Oak Nature TreS (brushed)	7870061	2 281 x 194 x 14	3-strip	Proteco Natura	Brushed	-	No	5	0020-0106
Pure Oak Rustic Plank XT	7879004	2 200 x 190 x 13	1-strip	Proteco Natura	Brushed	Minibevel	No	5	0190-0103
	7879003	2 000 x 190 x 13	1-strip	Proteco Natura	Brushed	Minibevel	No	5	0190-0103
Pure Oak Rustic Plank	7876957	2 200 x 162 x 14	1-strip	Proteco Natura	Brushed	Minibevel	No	5	0190-0105
	7876958	2 000 x 162 x 14	1-strip	Proteco Natura	Brushed	Minibevel	No	5	0190-0105
	7876037	2 200 x 162 x 14	1-strip	Proteco Hardwax Oil	Brushed	Minibevel	No	5	0190-0105
	7876030	2 000 x 162 x 14	1-strip	Proteco Hardwax Oil	Brushed	Minibevel	No	5	0190-0105
Pure Oak Rustic MiniPlank	8720008	1 245 x 117 x 14	1-strip	Proteco Natura	Brushed	Minibevel	No	5	0190-0105
Pure Oak Rustic DuoPlank	8727003	2 281 x 194 x 13	2-strip	Proteco Natura	Brushed	-	No	5	0020-0104
Pure Oak Rustic TreS	8723020	2 281 x 194 x 13	3-strip	Proteco Lacquer	-	-	No	5	0190-0103
	8723021	2 281 x 194 x 13	3-strip	Proteco Natura	-	-	No	5	0190-0103
Pure Oak Antique Plank	7876018	2 200 x 162 x 14	1-strip	Proteco Natura	Brushed	Maxibevel	No	6	0190-0105
Pure Walnut TreS	8577007	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	No	7	0020-0106
	8577008	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	No	7	0020-0106

5: Quercus Robur & Quercus Petraea, 6: Quercus Alba, 7: Juglans Nigra



Pure Oak Nature TreS (brushed)



Pure Oak Rustic Plank XT



Pure Oak Rustic Plank



Pure Oak Rustic MiniPlank




Pure Oak Rustic DuoPlank



Pure Oak Rustic TreS



Pure Oak Antique Plank



Pure Walnut TreS

The pictures only present the colour of the floor. For more details regarding grading and variations see the Grading Book or [www.tarkett.com](http://www.tarkett.com). Tarkett's international range of floors comprises many different products. Some of these may not be for sale in your country. Although every care has been taken to reproduce images that reflect the finished product, the quality of monitor and printer and the nature of wood results in variations in the color and structure of individual planks. When sanding a wooden floor the appearance will change in colour, texture and surface effects.

For further and latest information please visit [www.tarkett.com](http://www.tarkett.com)